

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	quality with checking with prior adj transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:58
L2	1	checking with prior adj transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
L3	4	checking with prior adj3 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
L4	1	quality with checking with prior adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
L5	4	3 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
L6	0	4 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 11:59
L7	0	checking adj3 provider with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:00
L8	258	checking with (prior before) adj4 transfer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
L9	1	checking with (prior before) adj4 transfer\$4 with provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01

L10	0	9 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
L11	6	checking with (prior before) adj4 transfer\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
L12	4	11 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:01
L13	6	checking with (prior before) adj4 transfer\$4 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:02
L14	4	13 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:02
L15	83	quality with checking with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:10
L16	7	15 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:10
L17	50	checksum with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:33
L18	18	17 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:33
L19	2	checksum with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:34

L20	2	checksum with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:34
L21	182	integrity with (prior before) adj5 transfer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:36
L22	79	21 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:36
L23	4	integrity with (prior before) adj5 transfer\$6 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:37
L24	4	integrity with (prior before) adj5 transfer\$6 with (server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:37
L25	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
L26	10	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4) with (client server provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
L27	2	26 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:39
L28	214	integrity with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:40
L29	89	28 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:40

L30	178	virus with (prior before) adj5 (transfer\$6 upload\$3 download\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:58
L31	55	30 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:58
L32	144	virus with (prior before) adj5 (transfer\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:59
L33	48	32 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 12:59
L34	2	"5623600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 14:04
L35	1	34 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/28 14:04
S1	0	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:59
S2	11500	quality adj assurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S3	501	S2 and digital adj signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:59
S4	31	S3 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:03

S5	17	S4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:02
S6	17	S5 and (compar\$ match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S7	17	S4 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:04
S8	17	S7 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:08
S9	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:25
S10	2	S9 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:08
S11	1	S9 and compar\$ and match\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:09
S12	1	S9 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:49
S13	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:25
S14	1	S13 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:27

S15	0	S13 and retriev\$3 with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:28
S16	1	S13 and retriev\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:32
S17	1	S13 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:43
S18	1	S13 and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:44
S19	2	"6233565".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:49
S20	2	S19 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 11:50
S21	1	S19 and request same (match\$3 compar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:01
S22	1	S19 and match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:04
S23	2	S19 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:04
S24	0	quality adj assurance with non-secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44

S25	151	quality adj assurance with checking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:44
S26	4	S25 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:47
S27	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 12:47
S28	2	"20050021972"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:16
S29	1	S28 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:16
S30	0	(client user) with request with server with provider with (content data) with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:45
S31	2	(client user) with request with server with provider with (verified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:45
S32	0	S31 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:47
S33	134	server with retriev\$3 with (check\$3 verif\$6 matching) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:48
S34	13	S33 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:48

S35	12	server with retriev\$3 with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S36	10	server with (check\$3 verif\$6 matching) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S37	0	S36 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53
S38	558	server with (check\$3 verif\$6 matching) with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S39	15	server with (check\$3 verif\$6 matching) with usage same signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S40	0	S39 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S41	138	server with (check\$3 verif\$6 matching) with usage and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S42	18	S41 and @ad<"19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:54
S43	0	"6584466".pn. with filter \$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S44	2	"6584466".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02



S45	1	S44 and filter\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:02
S46	11	filter\$6 with signature with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:04
S47	0	S40 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:04
S48	144	(check\$3 verif\$6) with usage with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:05
S49	13	S48 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:05
S50	2789	server with (check\$3 verif \$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S51	259	S50 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S52	76	S51 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:07
S53	13	server with retrieval with (check\$3 verif\$6) with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:08
S54	2	S53 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:08

S55	3	"6804778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:09
S56	712	compression with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:34
S57	280	S56 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:34
S58	10	compression with token with client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S59	0	S58 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S60	48	compression with token with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S61	34	S60 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:35
S62	2	"6076166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:55
S63	1	S62 and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:55
S64	0	S62 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:04

S65	24	client with check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:16
S66	0	S65 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:16
S67	660	check\$3 with (digital electronic) adj2 signature and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S68	111	S67 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S69	137	check\$3 with (digital electronic) adj2 signature and calculat\$3 with checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S70	26	S69 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:17
S71	7064	(user client) with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S72	13	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S73	1648	client with (digital electronic) adj2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:19
S74	4	S70 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:20

S75	147	(service web) adj provider with quality with assur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S76	19	S75.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S77	0	S76 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S78	5	S75 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:44
S79	63	(service web) adj provider with quality with verif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:47
S80	5	S79 and @ad< "19990415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 11:47

7/ 28/ 08 2:09:41 PM

C:\Documents and Settings\awang2\My Documents\EAST\Workspaces\10807514.pn..wsp